-continued

45

<212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: oligonucleotide <400> SEOUENCE: 16 tgagaagtgt gattcagtat gttttccgaa 30 <210> SEQ ID NO 17 <211> LENGTH: 30 <212> TYPE: DNA <213 > ORGANISM: Artificial sequence <223> OTHER INFORMATION: oligonucleotide <400> SEQUENCE: 17 30 cttaaqtqqq qttcqqqtqq aqtttatqqq <210> SEQ ID NO 18 <211> LENGTH: 40 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: oligonucleotide <400> SEQUENCE: 18 cttacgacct taagtggggt tcgggtggag tttatggggt 40 <210> SEO ID NO 19 <211> LENGTH: 34 <212> TYPE: DNA <213> ORGANISM: Artificial sequence <220> FEATURE: <223> OTHER INFORMATION: oligonucleotide <400> SEOUENCE: 19 accttaagtg gggttcgggt ggagtttatg gggt 34

We claim

1. An aptamer-based sensor comprising a cross-reactive aptamer for synthetic cathinones, the cross-reactive aptamer comprising SEQ ID NO: 17 or a sequence sharing at least 95% identity with SEQ ID No: 17.

2. The aptamer-based sensor according to claim **1**, the ⁴⁵ cross-reactive aptamer comprising SEQ ID No: 6, 18, or 19.

- 3. The aptamer-based sensor according to claim 1, the cross-reactive aptamer being SEQ ID No: 6, 18, or 19.
- **4.** The aptamer-based sensor according to claim **1**, the synthetic cathinone having a core structure of

$$\mathbb{R}^{\bigvee_{N}}\mathbb{R}^{2}$$

wherein R¹ is selected from the group consisting of 60 hydrogen, alkyl, aryl, heteroaryl, cycloalkyl, cycloalkenyl, heterocycloalkyl, alkenyl, alkynyl, alkoxy, haloalkyl, acyl, halogen, and hydroxylalkyl, or R¹, taken together with the carbon atom to which it is attached and an adjacent carbon atom, form a substituted or unsubstituted 5- or 6-membered homocyclic or heterocyclic ring;

R² is hydrogen or alkyl; and

R³ and R⁴ are each independently selected from the group consisting of hydrogen, alkyl, aryl, heteroaryl, cycloal-kyl, cycloalkenyl, heterocycloalkyl, alkenyl, alkynyl, haloalkyl, acyl, halogen, and hydroxylalkyl, or R³ and R⁴, taken together with the nitrogen atom to which they are attached, form a substituted or unsubstituted 5- or 6-membered heterocyclic ring.

5. The aptamer-based sensor according to claim 4, the 50 synthetic cathinone being selected from 3,4-methylenedioxypyrovalerone (MDPV); α-PVP; pyrovalerone; methylone; pentylone; 3,4-methylenedioxy-α-pyrrolidinobutiophe-(MDPBP); mephedrone; 4-methyl- α pyrrolidinobutiophenone 4'-methyl-α-(MPBP); pyrrolidinohexanophenone (MPHP); naphyrone; methedrone; ethylone; butylone; 4-methylmethcathinone (4-MMC); 4-fluoromethcathinone (4-FMC); 3-FMC; methcathinone; 4-methyl-a-pyrrolidinobutiophenone (MEPBP).

6. The aptamer-based sensor according to claim **1**, the cross-reactive aptamer being modified with a reporter label selected from a fluorescent dye, a fluorescent or luminescent nanoparticle, and an affinity tag.

7. A method for detecting a synthetic cathinone in a sample, the method comprising contacting the sample with the aptamer-based sensor of claim 1, the aptamer-based sensor further comprising a dye, and detecting the presence

46